

EUROCRINE Benchmark Report on Thyroid Resections




Investigated Clinic	Benchmark Clinics	Investigated Year
<input type="checkbox"/> Carlanderska Endokrinkirurgi <input type="checkbox"/> Gastro Center Skåne <input type="checkbox"/> Kirurgiska kliniken, Borås <input type="checkbox"/> Kirurgiska kliniken, Eksjö <input checked="" type="checkbox"/> Kirurgiska kliniken, Falun <input type="checkbox"/> Kirurgiska kliniken, Gävle <input type="checkbox"/> Kirurgiska kliniken, Göteborg <input type="checkbox"/> Kirurgiska kliniken, Halmstad <input type="checkbox"/> Kirurgiska kliniken, Jönköping <input type="checkbox"/> Kirurgiska kliniken, Kalmar <input type="checkbox"/> Kirurgiska kliniken, Karlskrona <input type="checkbox"/> Kirurgiska kliniken, Karlstad <input type="checkbox"/> Kirurgiska kliniken, Kristianstad <input type="checkbox"/> Kirurgiska kliniken, KS Solna <input type="checkbox"/> Kirurgiska kliniken, Kungälv <input type="checkbox"/> Kirurgiska kliniken, Linköping <input type="checkbox"/> Kirurgiska kliniken, Luleå <input type="checkbox"/> Kirurgiska kliniken, Lund <input type="checkbox"/> Kirurgiska kliniken, Norrköping <input type="checkbox"/> Kirurgiska kliniken, Nyköping <input type="checkbox"/> Kirurgiska kliniken, Örebro	<input checked="" type="checkbox"/> Markera alla <input type="checkbox"/> Carlanderska Endokrinkirurgi <input type="checkbox"/> Gastro Center Skåne <input type="checkbox"/> Kirurgiska kliniken, Borås <input type="checkbox"/> Kirurgiska kliniken, Eksjö <input type="checkbox"/> Kirurgiska kliniken, Falun <input type="checkbox"/> Kirurgiska kliniken, Gävle <input type="checkbox"/> Kirurgiska kliniken, Göteborg <input type="checkbox"/> Kirurgiska kliniken, Halmstad <input type="checkbox"/> Kirurgiska kliniken, Jönköping <input type="checkbox"/> Kirurgiska kliniken, Kalmar <input type="checkbox"/> Kirurgiska kliniken, Karlskrona <input type="checkbox"/> Kirurgiska kliniken, Karlstad <input type="checkbox"/> Kirurgiska kliniken, Kristianstad <input type="checkbox"/> Kirurgiska kliniken, KS Solna <input type="checkbox"/> Kirurgiska kliniken, Kungälv <input type="checkbox"/> Kirurgiska kliniken, Linköping <input type="checkbox"/> Kirurgiska kliniken, Luleå <input type="checkbox"/> Kirurgiska kliniken, Lund <input type="checkbox"/> Kirurgiska kliniken, Norrköping <input type="checkbox"/> Kirurgiska kliniken, Nyköping <input type="checkbox"/> Kirurgiska kliniken, Örebro	<input checked="" type="checkbox"/> Markera alla <input type="checkbox"/> 2012 <input type="checkbox"/> 2013 <input type="checkbox"/> 2014 <input type="checkbox"/> 2015 <input type="checkbox"/> 2016 <input type="checkbox"/> 2017 <input type="checkbox"/> 2018 <input type="checkbox"/> 2019 <input checked="" type="checkbox"/> 2020 <input type="checkbox"/> 2021


EUROCRINE Benchmark Report on Thyroid Resections



Registered Thyroid Resections in
Your Clinic



Registered Thyroid Resections in
Other EUROCRINE Clinics of Your Country



Investigated Year

- 2012
- 2013
- 2014
- 2015
- 2016
- 2017
- 2018
- 2019

Color Coding in this Report:


Your Clinic

Other EUROCRINE Clinics in Your Country


Thyroid

Main Indication for Surgery


Main Indication (Primary Operation), n




Main Indication (Primary Operation), %




Main Indication (Primary Operation), n




Main Indication (Primary Operation), %




Preoperative FNA (Bethesda Classification)




Results of FNA if performed





Preoperative FNA (Bethesda Classification)





Results of FNA if performed



Your Clinic



EUROCRINE Clinics




Thyroid


Resection Type, Intraoperative Neuromonitoring




Resection Type - Your Clinic




Intraoperative Use for Neuromonitoring



Resection Type - EUROCRINE Clinics



Intraoperative Use for Neuromonitoring




Thyroid Operating Time




Unilateral Lobectomy (skin to skin, Minutes)




Total Thyroidectomy (skin to skin, Minutes)



Unilateral Lobectomy (skin to skin, Minutes) EUROCINE Clinics




Total Thyroidectomy (skin to skin, Minutes), EUROCINE Clinics



Thyroid


Papillary Thyroid Cancer PTC, Resection Type and Extent of Lymphadenectomy

Resection Type in PTC - Your Clinic




Thyroidectomy and Extent of Lymphadenectomy

- Central lymph node dissection (PJD41) and one-sided lat. Lymph node ...
- Unilateral central lymph node dissection (PJD41)



Unilateral Lobectomy of the Thyroid Gland and Extent of Lymphadenectomy

- None




Thyroid

Papillary Thyroid Cancer PTC, Resection Type and Extent of Lymphadenectomy




Resection Type in PTC - EUOCRINE Clinics




Thyroidectomy and Extent of Lymphadenectomy

- Bilateral central lymph node dissection (PJD41)
- Bilateral central lymphnode dissection AND bilateral lateral lymphnode...
- Bilateral lateral lymph node dissection (PJD51)
- Central lymph node dissection (PJD41) and one-sided lat. Lymph node ...
- Exploration of lymph nodes incl. Biopsy (PJD10)
- Exirption of lymph nodes (PJD41)
- None
- Unilateral central lymph node dissection (PJD41)



Unilateral Lobectomy of the Thyroid Gland and Extent of Lymphadenectomy

- Bilateral central lymph node dissection (PJD41)
- Bilateral lateral lymph node dissection (PJD51)
- Central lymph node dissection (PJD41) and one-sided lat. Lymph node ...
- Exploration of lymph nodes incl. Biopsy (PJD10)
- Exirption of lymph nodes (PJD41)



Thyroid


Preoperative Laryngoscopy (all operations)

Preoperative Laryngoscopy

● Paresis of the right recurrent l...

● Not performed

● Normal



Indirect or direct laryngoscopy	Number	%
Normal	51	94,44%
Not performed	2	3,70%
Paresis of the right recurrent laryngeal nerve	1	1,85%
Total	54	100,00%

Total Number of Paresis	Percent per Patient
1	1,852

Preoperative Laryngoscopy


● Paresis of the right recurrent l...

● Paresis of the left recurrent lar...

● Not performed

● Normal

● (Tom)



Indirect or direct laryngoscopy	Number	%
Normal	911	46,69%
Not performed	989	50,69%
Paresis of the left recurrent laryngeal nerve	14	0,72%
Paresis of the right recurrent laryngeal nerve	18	0,92%
Paresis of the left recurrent laryngeal nerve	19	0,97%
Total	1951	100,00%


Total Number of Paresis	Percent per Patient
32	1,64

Thyroid

Postoperative Laryngoscopy (all operations)

Postoperative Laryngoscopy (preoperatively known paresis excluded)*

- Paresis of the left recurrent lar...
- Not performed
- Normal




Indirect or direct laryngoscopy	Number
Normal	2
Not performed	50
Paresis of the left recurrent laryngeal nerve	1
Total	53

Intentional Damage or Resection of the Recurrent laryngeal Nerve

Total Number	Percent per Nerves at Risk	Percent per Patient
1	1,124	1,887


Postoperative Laryngoscopy (preoperatively known paresis excluded)*

- Paresis of the right recurrent l...
- Paresis of the left recurrent lar...
- Not performed
- Normal
- (Tom)



Indirect or direct laryngoscopy	Number
Normal	282
Not performed	1310
Paresis of the left recurrent laryngeal nerve	21
Paresis of the right recurrent laryngeal nerve	15
Total	1900




Intentional Damage or Resection of the Recurrent laryngeal Nerve






*) Intentional Damage or Resection of the Recurrent Laryngeal Nerve are NOT excluded

Thyroid

Short and Longterm Treatment of Postoperative Parathyroid Insufficiency (Total Thyroidectomies only)



Thyroidectomies performed -
EUROCRINE Clinics




● Yes ● No ● (Tom) ● No data available

Thyroid


Short and Longterm Treatment of Postoperative Parathyroid Insufficiency (Total Thyroidectomies only)




Thyroidectomies performed - Your Clinic



Vit D po postoperatively




Vit D po at F1





Thyroidectomies performed - EUROCINE Clinics

Vit D po postoperatively





Vit D po at F1




Thyroid

Postoperative Parathyroid Insufficiency (Total Thyroidectomies only) - Course of PTH Values




PTH postoperatively






(Tom)

PTH at F1



(Tom)



(Tom)



(Tom)



Thyroid

Postoperative Hemorrhage and Wound Infection

Postoperative Hemorrhage

● No

└ 54 (100,0%)

Postoperative Wound Infection

● No

└ 54 (100,0%)

Postoperative Hemorrhage

● No

● Yes

22 (1,1%)

└ 1929 (98,9%)

Postoperative Wound Infection

● No

● Yes

28 (1,4%)

└ 1923 (98,6%)