


| Investigated Clinic | Benchmark Clinics | Investigated Year |
|---|--|---|
| <input type="checkbox"/> Bröst och Endokrinikirurgiska kliniken <input type="checkbox"/> Carlanderska Endokrinikirurgi <input type="checkbox"/> Gastro Center Skåne <input type="checkbox"/> Kirurgiska kliniken, Aabenraa <input type="checkbox"/> Kirurgiska kliniken, Århus <input type="checkbox"/> Kirurgiska kliniken, Borås <input type="checkbox"/> Kirurgiska kliniken, Danderyd <input type="checkbox"/> Kirurgiska kliniken, Eksjö <input type="checkbox"/> Kirurgiska kliniken, Falun <input type="checkbox"/> Kirurgiska kliniken, Gävle <input type="checkbox"/> Kirurgiska kliniken, Göteborg <input type="checkbox"/> Kirurgiska kliniken, Halmstad <input type="checkbox"/> Kirurgiska kliniken, Haukeland <input type="checkbox"/> Kirurgiska kliniken, Helsingborg <input type="checkbox"/> Kirurgiska kliniken, Herning <input type="checkbox"/> Kirurgiska kliniken, Horsens <input type="checkbox"/> Kirurgiska kliniken, Jönköping <input type="checkbox"/> Kirurgiska kliniken, Kalmar <input type="checkbox"/> Kirurgiska kliniken, Karlskrona <input type="checkbox"/> Kirurgiska kliniken, Karlstad <input type="checkbox"/> Kirurgiska kliniken, Kristianstad | <input type="checkbox"/> Markera alla <input type="checkbox"/> Bröst och Endokrinikirurgiska kliniken <input type="checkbox"/> Carlanderska Endokrinikirurgi <input type="checkbox"/> Gastro Center Skåne <input type="checkbox"/> Kirurgiska kliniken, Aabenraa <input type="checkbox"/> Kirurgiska kliniken, Århus <input type="checkbox"/> Kirurgiska kliniken, Borås <input type="checkbox"/> Kirurgiska kliniken, Danderyd <input type="checkbox"/> Kirurgiska kliniken, Eksjö <input type="checkbox"/> Kirurgiska kliniken, Falun <input type="checkbox"/> Kirurgiska kliniken, Gävle <input type="checkbox"/> Kirurgiska kliniken, Göteborg <input type="checkbox"/> Kirurgiska kliniken, Halmstad <input type="checkbox"/> Kirurgiska kliniken, Haukeland <input type="checkbox"/> Kirurgiska kliniken, Helsingborg <input type="checkbox"/> Kirurgiska kliniken, Herning <input type="checkbox"/> Kirurgiska kliniken, Horsens <input type="checkbox"/> Kirurgiska kliniken, Jönköping <input type="checkbox"/> Kirurgiska kliniken, Kalmar <input type="checkbox"/> Kirurgiska kliniken, Karlskrona <input type="checkbox"/> Kirurgiska kliniken, Karlstad <input type="checkbox"/> Kirurgiska kliniken, Kristianstad | <input type="checkbox"/> Markera alla <input type="checkbox"/> 2012 <input type="checkbox"/> 2013 <input type="checkbox"/> 2014 <input type="checkbox"/> 2015 <input type="checkbox"/> 2016 <input type="checkbox"/> 2017 <input type="checkbox"/> 2018 <input type="checkbox"/> 2019 <input type="checkbox"/> 2020 <input type="checkbox"/> 2021 |


EUROCRINE Benchmark Report on Thyroid Resections



Registered Thyroid Resections in
Your Clinic



Registered Thyroid Resections in
Other EUROCRINE Clinics of Your Country



Investigated Year

- 2012
- 2013
- 2014
- 2015
- 2016
- 2017
- 2018
- 2019

Color Coding in this Report:


Your Clinic

Other EUROCRINE Clinics in Your Country


Thyroid

Main Indication for Surgery


Main Indication (Primary Operation), n




Main Indication (Primary Operation), %




Main Indication (Primary Operation), n




Main Indication (Primary Operation), %




Preoperative FNA (Bethesda Classification)




Results of FNA if performed





Preoperative FNA (Bethesda Classification)





Results of FNA if performed



Your Clinic




EUOCRINE Clinics




Thyroid

Resection Type, Intraoperative Neuromonitoring


Resection Type - Your Clinic




Intraoperative Use for Neuromonitoring







Resection Type - EUROCRINE Clinics



Intraoperative Use for Neuromonitoring



Thyroid Operating Time



Thyroid

Papillary Thyroid Cancer PTC, Resection Type and Extent of Lymphadenectomy



Resection Type in PTC - Your Clinic

10

5

0


Thyroidectomy and Extent of Lymphadenectomy

Unilateral Lobectomy of the Thyroid Gland and Extent of Lymphadenectomy


Thyroid

Papillary Thyroid Cancer PTC, Resection Type and Extent of Lymphadenectomy


Resection Type in PTC - EUROCINE Clinics



Thyroidectomy and Extent of Lymphadenectomy



Unilateral Lobectomy of the Thyroid Gland and Extent of Lymphadenectomy




Thyroid

Preoperative Laryngoscopy (all operations)

Preoperative Laryngoscopy

● Not performed

● Normal



Indirect or direct laryngoscopy Number %

| | Number | % |
|---------------|-----------|----------------|
| Normal | 6 | 50,00% |
| Not performed | 6 | 50,00% |
| Totalt | 12 | 100,00% |

Total Number of Paresis Percent per Patient


● Paresis of the right recurrent l...

● Paresis of the left recurrent lar...

● Not performed

● Normal

● (Tom)



Indirect or direct laryngoscopy Number %

| | Number | % |
|--|-------------|----------------|
| | 3 | 0,16% |
| Normal | 1244 | 64,69% |
| Not performed | 654 | 34,01% |
| Paresis of the left recurrent laryngeal nerve | 15 | 0,78% |
| Paresis of the right recurrent laryngeal nerve | 7 | 0,36% |
| Totalt | 1923 | 100,00% |

Total Number of Paresis Percent per Patient


22 1,144

Thyroid

Postoperative Laryngoscopy (all operations)


Postoperative Laryngoscopy (preoperatively known paresis excluded)*

- Not performed
- Normal




| Indirect or direct laryngoscopy | Number |
|---------------------------------|-----------|
| Normal | 2 |
| Not performed | 10 |
| Total | 12 |

Intentional Damage or Resection of the Recurrent laryngeal Nerve




Postoperative Laryngoscopy (preoperatively known paresis excluded)*

- Paresis of the right recurrent l...
- Paresis of the left recurrent lar...
- Not performed
- Normal
- (Tom)



| Indirect or direct laryngoscopy | Number |
|--|-------------|
| Normal | 455 |
| Not performed | 1084 |
| Paresis of the left recurrent laryngeal nerve | 319 |
| Paresis of the right recurrent laryngeal nerve | 19 |
| Total | 1898 |








Intentional Damage or Resection of the Recurrent laryngeal Nerve



*) Intentional Damage or Resection of the Recurrent Laryngeal Nerve are NOT excluded

Thyroid

Short and Longterm Treatment of Postoperative Parathyroid Insufficiency (Total Thyroidectomies only)










● Yes ● No

● Yes ● No data available ● No ● (Tom)

Thyroid

Short and Longterm Treatment of Postoperative Parathyroid Insufficiency (Total Thyroidectomies only)



● Yes ● No

● Yes ● No data available ● No ● (Tom)




Thyroid

Postoperative Parathyroid Insufficiency (Total Thyroidectomies only) - Course of PTH Values

Thyroidectomies
performed -
Your Clinic

PTH postoperatively




PTH at F1



PTH postoperatively

PTH at F1

Thyroidectomies
performed -
EUROCRINE Clinics




Thyroid

Postoperative Hemorrhage and Wound Infection

Postoperative Hemorrhage


● No



12 (100,0%)

Postoperative Wound Infection

● No




12 (100,0%)

Postoperative Hemorrhage

● No

● Yes




1890 (98,3%)

Postoperative Wound Infection

● No

● Yes



1888 (98,2%)